	Туре	Ref #	Hits	Search Text	DBs
1	IS&R	S2	710	(200/33b,33d,57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	S3	1725	(200/47,334).CC LS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	S4	5	1"5552570") PN	US-PGPUB; USPAT; USOCR
4	BRS	S5	4	1"5346045") PN	US-PGPUB; USPAT; USOCR
5	BRS	S6	13	("3192349" "3369087" "4137432" "4307799" "4727762" "4763219" "4889002" "4910419" "5579899" "5620078" "5673019").PN. OR ("5890585").URP N.	US-PGPUB; USPAT; USOCR
6	BRS	S7	8	("3659083" "3735325" "4350938").PN. OR ("5818358").URP N.	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
7	BRS	S8		!	US-PGPUB; USPAT; USOCR
8	BRS	S9		いちかいちゅうえい アバー・	US-PGPUB; USPAT; USOCR
9	BRS	S10	5	,	US-PGPUB; USPAT; USOCR
10	BRS	S11	14		US-PGPUB; USPAT; USOCR
11	IS&R	S13	49466	("246").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	IS&R	S15	425	(246/449,220).C	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Туре	Ref #	Hits	Search Text	DBs
13	BRS	S16		"5292091"1 PN	US-PGPUB; USPAT; USOCR
14	BRS	S17	8	("2740041").URP N.	USPAT
15	IS&R	S18	49469	("246").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	S19		adj switch sensor position adj (indicat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	S20	17	1	US-PGPUB; USPAT; USOCR
18	BRS	S21	514	rod adj assembly and housing and (sensor detector) and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB